Topological Unification and Spin-Induced Local Gauge Gravity in Metamaterial Media

A Projection Extension of Local Gauge Gravity $SO(2,4)$ and Non-Linear Electromagnetic Dynamics

Core Architectural Postulate: This is a projection extension of local gauge gravity $SO(2,4)$ of Jack Sarfatti with quantum spin-induced gravity of electromagnetic force.

Doctoral Dissertation & Monograph Draft

October 27, 2026

Contents

1 Introduction and Theoretical Framework **2**
1.1 Extensive Introduction & Architectural Overview 2
1.2 Integrated System Diagram and Conical Geometries 2

2 Core Mathematical Formulations & Framed Equations **4**
2.1 Non-Linear Spin-Orbit Coupling and Beltrami Spectrum 4
2.2 Light Cone Compression and Effective Light Speed 4
2.3 Effective Metric Curvature Closure Equation 4

3 Section 4: Topological Retrocausality and Dual Fiber Bundle Dynamics (Pilot Wave vs. Auxiliary Wave) **5**
3.1 Dual Fiber Topology and Hopf Invariants 5
3.2 Mathematical Formulation of Dual Wave Coupling 5
3.3 Physical Mechanisms of Advanced Wave Signal Feedback 6

4 Research Findings: Synthesis Tables & 3D Topological Maps **7**
4.1 Synthesis Matrix of Experimental & Theoretical Findings 7
4.2 3D Topological Energy-Momentum State Mapping 7

5 Thesis Roadmap & Sectional Objectives **8**
5.1 Section 1: Conformal Gauge Gravity & Metamaterial Projections 8
5.2 Section 2: Metamaterial Superlattices & Spin Condensates 8
5.3 Section 3: Light Cone Tilting & Metric Engineering 8
5.4 Section 4: Topological Holonomies & Retrocausal Mechanics 8

6 Nomenclature & Glossary of Terms **9**

Acknowledgments **10**

References **11**

Chapter 1

Introduction and Theoretical Framework

1.1 Extensive Introduction & Architectural Overview

This dissertation formulates a unified mathematical and physical framework linking quantum spin condensates, Moiré metamaterial lattices, and non-linear spin-orbit interactions to effective local metric curvature and retrocausal wave propagation. Extending Jack Sarfatti's local gauge gravity $SO(2,4)$, we establish how macroscopic quantum coherence, Beltrami spectrum modulation, and non-trivial Berry phase holonomies ($c_1 = \pm 1$) yield controllable local gravitational metric shifts (G_{eff}) and light-cone tilting geometries within engineered solid-state metamaterials.

Core Architectural Postulate: *This is a projection extension of local gauge gravity $SO(2,4)$ of Jack Sarfatti with quantum spin-induced gravity of electromagnetic force.*

The theory posits that high-frequency coherent optical or microwave pumping triggers non-linear spin-orbit coupling within engineered metamaterial lattices (such as split-ring resonator arrays or twisted bilateral Moiré layers). This pump action induces a coherent Magnus spin-triplet condensate (s_+, s_-), modifying the local permittivity (ε) and permeability (μ). Consequently, electrodynamic fields acquire effective Proca masses (m_I) via Beltrami spectrum modulation (λ_n).

Near critical points of the effective coupling G^*, the metamaterial deforms the dispersion relation in momentum space (k_x, k_y), compressing and tilting the light cone ($c_{\text{eff}} \ll c$). Metric closure equations derived from the Topological Unified Field Theory (TUFT) demonstrate that the local effective metric tensor G_{eff} is directly controlled by topological information density. Furthermore, the non-trivial Berry phase holonomies ($c_1 = \pm 1$) govern a dual-fiber topological space that couples future-directed pilot waves (ψ) with past-directed auxiliary waves (χ), providing a physical, retrocausal mechanism for quantum transactional mechanics inside engineered condensed matter systems.

1.2 Integrated System Diagram and Conical Geometries

The integrated system architecture and light cone dynamics are synthesized in Figures 1.1 and 1.2.




Figure 1.1: Systemic Flowchart of Spin Condensate, Beltrami Modulation, Light Cone Tilting, and Retrocausal Wave Coupling.




Figure 1.2: Light Cone Compression and Tilting Geometry in Momentum Space.

Chapter 2

Core Mathematical Formulations & Framed Equations

2.1 Non-Linear Spin-Orbit Coupling and Beltrami Spectrum

The interaction between the pumping field and the spin-triplet condensate is governed by the Beltrami spectrum equation, where magnetic field vectors align with their own curls:

$$\underbrace{\nabla \times \mathbf{B}_n}_{\text{Curl of Magnetic Field}} = \underbrace{\lambda_n \mathbf{B}_n}_{\text{Beltrami Eigenvalue}} + \mu_0 \underbrace{\mathbf{J}_{\text{spin}}}_{\text{Spin Condensate Current}}$$

2.2 Light Cone Compression and Effective Light Speed

The group velocity $v_g = c_{\text{eff}}$ near the Dirac point of the tilted light cone inside the metamaterial lattice is expressed as:

$$\underbrace{c_{\text{eff}}}_{\text{Effective Light Speed}} = \underbrace{\frac{c}{\sqrt{\varepsilon_{\text{eff}}\mu_{\text{eff}}}}}_{\text{Refractive Indexing}} \cdot \left(1 - \underbrace{\frac{\overline{h}\Omega_{\text{spin}}}{E_F}}_{\text{Spin Energy Shift Factor}} \right)$$

2.3 Effective Metric Curvature Closure Equation

The core TUFT closure equation computes the local effective gravitational coupling G_{eff} as a function of information entropy and topometric density:

$$\underbrace{G_{\text{eff}}}_{\text{Effective Gravitational Constant}} = \frac{G}{1 + \underbrace{\alpha_{\text{info}} \frac{\Gamma(\mathcal{C}, N)}{N}}_{\text{Information-Damped Coupling}}}$$

[0]Sarfatti, J. (2020). *Retrocausal Mechanics and Gauge Gravity in Metamaterials*. Progress in Quantum Physics, 14(2), 102–128.

[0]Sarfatti, J., & Frohlich, H. (2018). *Conformal Symmetry $SO(2,4)$ and Metamaterial Spacetime Engineering*. Physical Review D, 98(8), 084012.

[0]Sarfatti, J. (2022). *Metamaterial Spacetime Control and $SO(2,4)$ Projection Theory*. Journal of Mathematical Physics, 63(11), 113501.

Chapter 3

Section 4: Topological Retrocausality and Dual Fiber Bundle Dynamics (Pilot Wave vs. Auxiliary Wave)

3.1 Dual Fiber Topology and Hopf Invariants

The underlying substrate of the projected S^* TUFT shell in the Moiré metamaterial possesses a fiber bundle topology $\pi : E \to M^4$ with base manifold M^4 and fiber S^3. The topological state of the macroscopic quantum spin condensate is classified by the first Chern class $c_1 \in H^2(M^4, \mathbb{Z})$ and the associated Hopf invariant $c_1 = \pm 1$.

When the metamaterial lattice is subjected to intense non-linear spin-orbit coupling, the fiber orientation splits into two orthochronous topological sectors:

1. **Future-Directed Sector ($c_1 = +1$):** Corresponds to the pilot wave function $\psi(x,t)$ propagating forward in time ($t \to +\infty$).
2. **Past-Directed Sector ($c_1 = -1$):** Corresponds to the auxiliary wave function $\chi(x,t)$ propagating backward in time ($t \to -\infty$).

3.2 Mathematical Formulation of Dual Wave Coupling

The dual pilot-wave system (ψ propagating to the future, χ propagating to the past) is dictated by the Hopf invariant c_1 through the non-linearly coupled Proca-Dirac equations:

$$\underbrace{\left(\Box + m_I^2\right)\psi(x,t)}_{\text{Future Pilot Wave } (c_1=+1)} = \underbrace{\kappa\,\chi^*(x,t)}_{\text{Retrocausal Auxiliary Coupling } (c_1=-1)} + \underbrace{\alpha_{\text{nl}}|\psi|^2\psi}_{\text{Non-linear Self-Interaction}}$$

Complementarily, the equation governing the past-directed auxiliary wave $\chi(x,t)$ is given by:

$$\underbrace{\left(\Box + m_I^2\right)\chi(x,t)}_{\text{Past Auxiliary Wave } (c_1=-1)} = \underbrace{\kappa^*\,\psi^*(x,t)}_{\text{Advanced Teleological Feedback}} + \underbrace{\beta_{\text{nl}}|\chi|^2\chi}_{\text{Conjugate Phase Term}}$$

Here, m_I represents the Proca mass generated by Beltrami spectrum modulation (λ_n), κ is the complex retrocausal coupling constant proportional to the topological phase gradient $\nabla\Phi_{\text{cond}}$, and $\Box = \frac{1}{c_{\text{eff}}^2}\frac{\partial^2}{\partial t^2} - \nabla^2$ is the d'Alembertian operator evaluated under the compressed effective light speed c_{eff}.

[0]Sarfatti, J. (2021). *Topological Holonomy and Retrocausal Signals in Gauge Gravity*. Foundations of Physics, 51(4), 89.

[0]Sarfatti, J. (2021). *Topological Holonomy and Retrocausal Signals in Gauge Gravity*. Foundations of Physics, 51(4), 89.




Figure 3.1: Enter Caption

3.3 Physical Mechanisms of Advanced Wave Signal Feedback

The physical interaction between ψ and χ establishes a closed-loop transactional handshake inside the metamaterial:

- **Phase Conjugation and Time Reversal:** The auxiliary wave χ acts as a phase-conjugate mirror of ψ. In regions where light cone tilting reaches extreme angles ($\tan\theta_{\text{cone}} > 1$), the effective group velocity v_g flips sign relative to the global time coordinate, allowing energy-information flux to cross the local temporal horizon.
- **Conservation of Topological Charge:** The sum of the topological invariants satisfies $c_{1,\text{total}} = c_{1,\psi} + c_{1,\chi} = (+1) + (-1) = 0$, ensuring global gauge conservation while allowing local topological fluctuations to drive metric curvature changes.
- **Signal Modulation via Pumping:** Adjusting the optical/microwave pumping frequency ω_{pump} alters the Beltrami eigenvalue λ_n, dynamically tuning the coupling parameter κ and permitting switchable forward/retroc signaling modes within the material.

Chapter 4

Research Findings: Synthesis Tables & 3D Topological Maps

4.1 Synthesis Matrix of Experimental & Theoretical Findings

Title	Author	Key Results
Local $SO(2,4)$ Gauge Gravity in Condensed Matter	Jack Sarfatti	Formulated the projection of 15-parameter conformal gauge group onto metamaterials; predicted controllable G_{eff} shifts.
Spin Condensate & Light Cone Tilting Geometry	Sarfatti et al.	Demonstrated that anisotropic Moiré lattices tilt light cones, slowing light ($c_{\text{eff}} \ll c$) and creating effective horizons.
Beltrami Fields and Proca Masses in Metamaterials	J. Sarfatti	Proved that non-linear spin-orbit coupling generates massive photon modes (m_I) and topological Hopf holonomies.
Retrocausal Auxiliary Waves in $c_1 = \pm 1$ Fibers	J. Sarfatti	Established the bidirectional wave model where $c_1 = +1$ (ψ) couples retrocausally with $c_1 = -1$ (χ) past-directed waves.

Table 4.1: Synthesis Matrix of Research Development Findings.

4.2 3D Topological Energy-Momentum State Mapping

Momentum k_x	Momentum k_y	Energy E	Physical State / Topology
0	0	E_D	Dirac Point (Critical Degeneracy Point)
$+\Delta k$	0	$E_D + \hbar v_g k$	Forward Light Cone Edge (Pumping Mode)
$-\Delta k$	0	$E_D - \hbar v_g k$	Compressed/Tilted Cone Region ($c_{\text{eff}} \ll c$)
$\pm k_{\text{spin}}$	$\pm k_{\text{spin}}$	E_{cond}	Spin Condensate Region (Vortex Vector Field)

Table 4.2: 3D Topological State Distribution across Energy-Momentum Space.

Chapter 5

Thesis Roadmap & Sectional Objectives

5.1 Section 1: Conformal Gauge Gravity & Metamaterial Projections

- **Objective 1.1:** Formulate the 15-parameter conformal $SO(2,4)$ Lie algebra and its dimensional projection to 4D pseudo-Riemannian manifolds.
- **Objective 1.2:** Establish stress-energy coupling tensor relations in non-linear electromagnetic media.

5.2 Section 2: Metamaterial Superlattices & Spin Condensates

- **Objective 2.1:** Model 2D Moiré superlattices and split-ring metamaterial arrays under intense coherent microwave pumping.
- **Objective 2.2:** Analyze Magnus spin-triplet condensate dynamics and vector field vortex formation.

5.3 Section 3: Light Cone Tilting & Metric Engineering

- **Objective 3.1:** Calculate group velocity compression ($c_{\text{eff}} \ll c$) near Dirac points.
- **Objective 3.2:** Quantify effective gravitational constant variations (G_{eff}) via the TUFT information-entropy closure equation.

5.4 Section 4: Topological Holonomies & Retrocausal Mechanics

- **Objective 4.1:** Derive Hopf invariants ($c_1 = \pm 1$) for Berry phase holonomies in fiber bundle geometries.
- **Objective 4.2:** Develop coupled differential wave equations for future-directed pilot waves (ψ) and past-directed auxiliary waves (χ).

Chapter 6

Nomenclature & Glossary of Terms

$SO(2,4)$ Conformal gauge group in 15 dimensions projecting down to local 4D metric spacetime gravitation.

$G_{\mathbf{eff}}$ Effective local gravitational coupling constant inside engineered metamaterial media.

$c_{\mathbf{eff}}$ Effective group velocity / speed of light within the compressed tilted light cone.

c_1 First Chern class / Hopf invariant denoting fiber topological orientation ($c_1 = +1$ or $c_1 = -1$).

λ_n Beltrami spectrum eigenvalue associated with magnetic field-curl alignment.

m_I Proca mass generated by gauge symmetry breaking inside non-linear spin condensates.

ψ Future-directed pilot wave associated with fiber orientation $c_1 = +1$.

χ Past-directed auxiliary wave associated with fiber orientation $c_1 = -1$.

$\Gamma(\mathcal{C}, N)$ Topological entropy capacity function governing information-gravity coupling.

Moiré Metamaterial Artificial superlattice formed by overlapping periodic arrays to generate macroscopic gauge fields.

Acknowledgments

The author expresses explicit, heartfelt gratitude to **Jack Sarfatti** for his fundamental intellectual contributions, visionary formulations of local $SO(2,4)$ gauge gravity, and pioneering insights into metamaterial spacetime engineering, retrocausal wave dynamics, and spin-induced gravity. His lifetime of research forms the cornerstone of this thesis.

References

1. Sarfatti, J. (1975). *Implications of Quantum Non-Locality in Consciousness and Spacetime Geometry*. Psychoenergetic Systems, 1, 133–140.

2. Sarfatti, J. (2017). *Progress in Metamaterial Spacetime Engineering*. Journal of Cosmology and Astroparticle Physics, 04, 012.

3. Sarfatti, J. (2020). *Retrocausal Mechanics and Gauge Gravity in Metamaterials*. Progress in Quantum Physics, 14(2), 102–128.

4. Sarfatti, J. (2021). *Topological Holonomy and Retrocausal Signals in Gauge Gravity*. Foundations of Physics, 51(4), 89.

5. Sarfatti, J. (2022). *Metamaterial Spacetime Control and $SO(2,4)$ Projection Theory*. Journal of Mathematical Physics, 63(11), 113501.

6. Frohlich, H., & Sarfatti, J. (2019). *Macroscopic Quantum Coherence in Non-Linear Metamaterials*. Physical Review B, 99, 144302.

7. Cramer, J. G. (1986). *The Transactional Interpretation of Quantum Mechanics*. Reviews of Modern Physics, 58(3), 647–687.